



KAVERI GRAMEENA BANK

(Established by - Govt of India: Sponsored by - State Bank of Mysore)

HEAD OFFICE

CA 20, VIJAYANAGARA 2nd STAGE

MYSURU

KGB/STY DEPT.

Date:24/06/2016

NOTICE INVITING TENDER

Interior Furnishing work at KGB Hulivana and
K R Pet Branch ,Mandya Region.

NOTE:

Bank invites sealed quotations from **empanelled Interior Furnishers** to carry out Interior Furnishing work at KGB Hulivana and K R Pet Branch , Mandya Region. The empanelled Interior Furnishers may send sealed quotations to Kaveri Grammeena Bank, Head Office, Mysuru.

Starting Date of Tender: 24/06/2016

Closing Date of Tender: 04/07/2016

Sd/-

Senior Manager (Sty and Fur)

Place: Mysuru

Date: 24/06/2016

Note :

1. All Rates shall be inclusive of all Taxes Income/sales Tax etc.,
2. The Rates should also be inclusive of the cost of disposal of debris Generated out of the work site by transportation.
3. Tenders should Ascertain the scope of work and quality of the Item before starting the work and the materials used should be as per the list enclosed.
4. The tax deduction at source : Income tax and sales tax as applicable will be deducted at source out of the bill amount payable to the contractor.

Estimate for the Proposed Interior Works to Kaveri Grameena Bank, Hulivana Branch, Mandya Region

SL. NO	ITEMS DESCRIPTION	L	B	D	Qty-Unit	RATE	AMOUNT
01	<p>CASH COUNTER : Providing and fixing of cash counter having size of 2'6" h x 2'6" w x 4'6" L, assembly made out of 19mm commercial board and with drawer cum cabinet unit with shutter, key board drawers, cable hole with PVC cap, foot rest etc, all the exposed edges will have TW beadings of 0.75" x 1.25" with polish. The drawer cum cabinet unit should be provided in the counters with minimum length of 4'0" of counters has per the following specifications.</p> <p>a. Providing counter top 15" wide to be fixed for entire length horizontally at 3'9" level made out of 12/10mm thick plain glass of approved make and vertically upto the height of partition of cash counter from 2'6" level of the cash counter. And a slit opening/cut in arch shape of 6" x 6" size for cash transaction with customers above 3'9" level of vertical plain glass shall be provided in the counter top. The area of the front glass to cash counter shall be taken has partition to cabin, extra rate is not paid to pigeon hole unit.</p> <p>b. The drawers (2nos) and the cabinet unit to be made out of 19mm commercial board has per standard design with spring hinges</p> <p>c. Providing pigeon hole unit of approved size and design made out of 12mm pre laminated board properly placed in between counter top and customer top including painting /polishing etc., complete as required.</p> <p>d. Providing and fixing 1mm thick laminate of approved make and colour using suitable adhesives in all the visible/exposed portions of the counter/drawer /cabinet/key board and all the inner / non visible surfaces, including under side of the counter to be painted with synthetic enamel (two coats) over a coat of wood primer, size 0.75" x 1.25"/ lippings / TW beading duly polished including the cost of all required hardware fittings, ball catches handles piano hinges etc., as specified in the drawing. The laminate and granite of gangsaw cut to be used as per approved design of the bank</p> <p align="center">5'0" - -</p> <p>i) Providing and fixing 20mm thick granite to the top of the counter with bull nosing and edge polishing.</p> <p align="center">5'0" 2'9" -</p> <p>ii) Design Band of 12mm ply and lamination with brass/ S. Steel stud in front of the counter 5'0" - 1'0"</p> <p>iii) Providing and making 2.5" hole on granite top of the counter</p> <p>iv) Providing and fixing godrej / Ebco M.P Locks to counter drawer and cabinet</p>				5.00 Rft		
					13.75 Sft		
					5.00 Sft		
					1 Nos		
					3 Nos		
2	<p>CLERICLE COUNTER/ BANKING COUNTER : Providing and fixing ob banking counter comprising of 4'10 1/2" length each and 32 inch wide clerical top but the rest same as in Item of cash counter having all specifications including providing sliding key board drawer 2' x 1'6" with 19mm commercial ply/ board and TW frame work with sliding channels / stopping arrangements but with following specifications</p> <p>i) Without pigeon hole racks and slit opening but with cabinet unit as an integral part as per cash counter specification (Customer top to be provided with 12/10mm thick glass with etching on boarders with polishing to be provided vertically with Support of wooden pillars, as per the drawing enclosed.</p> <p align="center">14'0" - -</p> <p>ii) Providing and fixing 20mm thick granite with nosing and edge polishing</p> <p align="center">14'0" 2'9" -</p> <p>iii) Design band of 12mm ply and lamination with brass/stainless steel stud in front of the counter 14'0" - 1'0"</p> <p>iv) Providing and fixing Godrej/Ebco M.P Locks</p> <p>v) Providing and making 2.5" hole on granite top</p>				14 Rft		
					38.5 Sft		
					14 Sft		
					6 nos		
					3 Nos		

3	WICKET GATE : Providing and fixing wicket gate in level with counter height using 19mm block board of approved make fixing it to the counter by required frame work of TW, expose surfaces to be pasted with 1.2mm thick laminate, with required lipping on edges of boards, and polishing of teak wood frame work, including all hardwares etc., complete (with countersideportion) 2'6" - 4'0"	10 Sft		
4	MANAGER'S CABIN 5'0" HT WOODEN PARTLY GLAZED PARTITION: Providing & Fixing Partition 5' Height using 2"x2" sal wood frame with 6mm commercial ply on either side, fixing it to the counter / partition frame both exposed surface to be pasted with 1mm thick laminate of approved pattern, make and colour including providing 8mm thick plain etched glass panel and 3.5" x 0.5" beach wood beading on top edge of the with polish with necessary opening of fixing of doors of standard size including cost of material, fixtures, labour and HOM machinery , complete as per specifications. 20' 0" - 5'0" i) Door lock for manager's cabin door	100 Sft. 2 Nos.		
5	CASH CABIN - 5'0" HT WOODEN PARTLY GLAZED PARTITION: Providing & Fixing Partition 5' Height using 2"x2" sal wood frame with 6mm commercial ply on either side, fixing it to the counter / partition frame both exposed surface to be pasted with 1mm thick laminate of approved pattern, make and colour including providing 12mm thick plain etched glass panel and 3.5" x 0.5" beach wood beading on top edge of the with polish with necessary opening of fixing of doors of standard size including cost of material, fixtures, labour and HOM machinery , complete as per specifications. 13' - 5'0" i) Door lock for cash cabin door	65 Sft. 1 Nos.		
6	CHEQUE WRITING STAND WITH SUGGESTION BOX : made out of 19mm commercial plywood with exposed surface to be pasted with 1mm thick laminate of approved pattern, make and colour including providing and 8mm plain glass panel for vertical shelves all the glass edges should be polish.	1 Nos.		
7	NOTICE DISPLAY BOARD : Providing and fixing notice board of size 4'x 3' -1Nos. made with good quality hard wood for frame work and 12mm thick soft board and fabric of approved colour with necessary hooks for suspending with all exposed surfaces neatly finished with melamine polish including fixing necessary TW / BW beading duly polished	12 sqft.		
8	WORKING HOURS BOARD : Providing and fixing working hours board of 2' x 1.5' Size made with 3mm thick Aluminum Composit Panels pasted Eco-solvent digital printed vinyl sticker fixing on wall at required place.	1 Nos.		
9	SIDE TABLE WITH PROJECTION : providing and placing of side table made out of 25 x 25mm x 14g MS-Square Hallow section for vertical and horizontal frames with Synthetic enamel and metal primor of size (2.75' x 16"x 2.5' ht) with top and middle shelf. The top and shelf of the side table is made out of 2.5' x 1' x 19mm commercial block board pasted with 1.2 mm laminate of approved make and shade with allround TW beading with polishing, on 25 x 25 mm hollow section, the under side of the board to be painted with wood primer and synthetic enamel of approved make, with 9' projection about table top to rest the ledgers (with extention upwards of leg sections) for printer	-		
10	SERVER TABLE (3'X1.75'X2.5') : Made as per specification of above item	1 Nos.		
11	STORAGE UNIT CABINET TYPE : Providing and fixing storage system of 1.5' Depth of required length and depth of the cabinete made with 18mm commercial board of approved make with ISI mark. The top sides and front face of the cabinete have to the pasted with 1mm thick laminated sheet. The cabinete should have required no.s of sheleves/ with doors fitted with good quality Hinges and locking arrangements, with magnet catch for rack type storage units more No.s of Selves and partition to be provided. All the edges	30.75 Sft		

	of the cabinet should be provided with TW / beech wood beadings with two coats of melamine polish and inner surface / and the back side of the cabinet have to be painted with two coats of wood primer and two coats of enamel painting of approved colour and make of the paints the colour of the laminated sheets, handles and other hardware items have to be used as per banks approved list of material / banks prior approval. 3'0"x2'3" -1 Nos., 6'x4'-1Nos.			
12	MANAGER'S OR OFFICERS TABLE : Managers table made with 19mm commercial board of specified make. The external or visible surface of the table top front and sides has to be pasted with 1mm laminated sheet of beech wood colour the table shall be provided with two drawers cum cup board with locking arrangements all the edges of the table shall be provided with beech wood beading of 22mm x 6mm average in size, with melamine polish, and all the invisible surface and under side of the table as to be painted with one coat of wood primer and two coats of enamel paint. The necessary hardware fitting with good quality such as hinges, handles and drawer slidding channel to be neatly fixed for drawers. The size and the design should be as per the specifications and drawing Size: 5'x2'.6"x2'.6" (with key board & tray for CPU unit) with 8mm all side polished Glass for Top.	1 Nos.		
			Total	

Note :

5. All Rates shall be inclusive of all Taxes Income/sales Tax etc.,
6. The Rates should also be inclusive of the cost of disposal of debris Generated out of the work site by transportation.
7. Tenders should Ascertain the scope of work and quality of the Item before starting the work and the materials used should be as per the list enclosed.
8. The tax deduction at source : Income tax and sales tax as applicable will be deducted at source out of the bill amount payable to the contractor.

Estimate for the Proposed Interior Works to Kaveri Grameena Bank, K.R.Pet, Mandya Region

SL. NO	ITEMS DESCRIPTION	L	B	D	Qty-Unit	RATE	AMOUNT
01	<p>CASH COUNTER : Providing and fixing of cash counter having size of 2'6" h x 2'6" w x 4'6" L, assembly made out of 19mm commercial board and with drawer cum cabinet unit with shutter, key board drawers, cable hole with PVC cap, foot rest etc, all the exposed edges will have TW beadings of 0.75" x 1.25" with polish. The drawer cum cabinet unit should be provided in the counters with minimum length of 4'0" of counters has per the following specifications.</p> <p>e. Providing counter top 15" wide to be fixed for entire length horizontally at 3'9" level made out of 12/10mm thick plain glass of approved make and vertically upto the height of partition of cash counter from 2'6" level of the cash counter. And a slit opening/cut in arch shape of 6" x 6" size for cash transaction with customers above 3'9" level of vertical plain glass shall be provided in the counter top. The area of the front glass to cash counter shall be taken has partition to cabin, extra rate is not paid to pigeon hole unit.</p> <p>f. The drawers (2nos) and the cabinet unit to be made out of 19mm commercial board has per standard design with spring hinges</p> <p>g. Providing pigeon hole unit of approved size and design made out of 12mm pre laminated board properly placed in between counter top and customer top including painting /polishing etc., complete as required.</p> <p>h. Providing and fixing 1mm thick laminate of approved make and colour using suitable adhesives in all the visible/exposed portions of the counter/drawer /cabinet/key board and all the inner / non visible surfaces, including under side of the counter to be painted with synthetic enamel (two coats) over a coat of wood primer, size 0.75" x 1.25"/ lippings / TW beading duly polished including the cost of all required hardware fittings, ball catches handles piano hinges etc., as specified in the drawing. The laminate and granite of gang saw cut to be used as per approved design of the bank 5'0" - -</p> <p>v) Providing and fixing 20mm thick granite to the top of the counter with bull nosing and edge polishing. 5'0" 2'9" -</p> <p>vi) Design Band of 12mm ply and lamination with brass/ S. Steel stud in front of the counter 5'0" - 1'0"</p> <p>vii) Providing and making 2.5" hole on granite top of the counter</p> <p>viii) Providing and fixing godrej / Ebco M.P Locks to counter drawer and cabinet</p>				5.00 Rft 13.75 Sft 5.00 Sft 1 Nos 3 Nos		
2	<p>CLERIC COUNTER/ BANKING COUNTER : Providing and fixing ob banking counter comprising of 4'10 1/2" length each and 32 inch wide clerical top but the rest same as in Item of cash counter having all specifications including providing sliding key board drawer 2' x 1'6" with 19mm commercial ply/ board and TW frame work with sliding channels / stopping arrangements but with following specifications</p> <p>vi) Without pigeon hole racks and slit opening but with cabinet unit as an integral part as per cash counter specification (Customer top to be provided with 12/10mm thick glass with etching on boarders with polishing to be provided vertically with Support of wooden pillars, as per the drawing enclosed. 15'0" - -</p> <p>vii) Providing and fixing 20mm thick granite with nosing and edge polishing 15'0" 2'9" -</p> <p>viii) Design band of 12mm ply and lamination with brass/stainless steel stud in front of the counter 15'0" - 1'0"</p> <p>ix) Providing and fixing Godrej/Ebco M.P Locks</p> <p>x) Providing and making 2.5" hole on granite top</p>				15 Rft 41.25 Sft 15 Sft 6 nos 3 Nos		
3	WICKET GATE : Providing and fixing wicket gate in level with counter height				12 Sft		

	using 19mm block board of approved make fixing it to the counter by required frame work of TW, expose surfaces to be pasted with 1.2mm thick laminate, with required lipping on edges of boards, and polishing of teak wood frame work, including all hardwares etc., complete (with countersideportion) 3' - 4'0"			
4	MANAGER'S CABIN 8'0" HT WOODEN PARTLY GLAZED PARTITION: Providing & Fixing Partition 5' Height using 2"x2" sal wood frame with 6mm commercial ply on either side, fixing it to the counter / partition frame both exposed surface to be pasted with 1mm thick laminate of approved pattern, make and colour including providing 8mm thick plain etched glass panel and 3.5" x 0.5" beach wood beading on top edge of the with polish with necessary opening of fixing of doors of standard size including cost of material, fixtures, labour and HOM machinery , complete as per specifications. 21' 0" x 8' 0" ii) Door lock for manager's cabin door iii) Partition for Sty. and Records iv) Partition for Adv. Manager Cabin	168 Sft. 2 Nos. 80 Sft. 80 Sft.		
5	CASH CABIN - 5'0" HT WOODEN PARTLY GLAZED PARTITION: Providing & Fixing Partition 5' Height using 2"x2" sal wood frame with 6mm commercial ply on either side, fixing it to the counter / partition frame both exposed surface to be pasted with 1mm thick laminate of approved pattern, make and colour including providing 12mm thick plain etched glass panel and 3.5" x 0.5" beach wood beading on top edge of the with polish with necessary opening of fixing of doors of standard size including cost of material, fixtures, labour and HOM machinery , complete as per specifications. 8' - 5'0" ii) Door lock for cash cabin door	40 Sft. 1 Nos.		
6	CHEQUE WRITING TABLE : made out of 19mm commercial plywood with exposed surface to be pasted with 1mm thick laminate of approved pattern, make and colour including providing 12mm thick plain glass panel for writing top and 8mm plain glass panel for vertical shelves all the glass edges should be polish.	1 Nos.		
7	NOTICE DISPLAY BOARD : Providing and fixing notice board of size 4'x 3' -1Nos. made with good quality hard wood for frame work and 12mm thick soft board and fabric of approved colour with necessary hooks for suspending with all exposed surfaces neatly finished with melamine polish including fixing necessary TW / BW beading duly polished	12 sqft.		
8	WORKING HOURS BOARD : Providing and fixing working hours board of 2' x 1.5' Size made with 3mm thick Aluminum Composit Panels pasted Eco-solvent digital printed vinyl sticker fixing on wall at required place.	1 Nos.		
9	SIDE TABLE WITH PROJECTION : providing and placing of side table made out of 25 x 25mm x 14g MS-Square Hallow section for vertical and horizontal frames with Synthetic enamel and metal primor of size (2.75' x 16"x 2.5' ht) with top and middle shelf. The top and shelf of the side table is made out of 2.5' x 1' x 19mm commercial block board pasted with 1.2 mm laminate of approved make and shade with allround TW beading with polishing, on 25 x 25 mm hollow section, the under side of the board to be painted with wood primer and synthetic enamel of approved make, with 9' projection about table top to rest the ledgers (with extention upwards of leg sections) for printer	-		
10	SERVER TABLE (3'X1.75'X2.5') : Made as per specification of above item	1 Nos.		
11	STORAGE UNIT CABINET TYPE : Providing and fixing storage system of 1.5' Depth of required length and depth of the cabinete made with 18mm commercial board of approved make with ISI mark. The top sides and front face of the cabinete have to the pasted with 1mm thick laminated sheet. The cabinete should have required no.s of sheleves/ with doors fitted with good	81 Sft		

	quality Hinges and locking arrangements, with magnet catch for rack type storage units more No.s of Selves and partition to be provided. All the edges of the cabinet should be provided with TW / beech wood beadings with two coats of melamine polish and inner surface / and the back side of the cabinet have to be painted with two coats of wood primer and two coats of enamel painting of approved colour and make of the paints the colour of the laminated sheets, handles and other hardware items have to be used as per banks approved list of material / banks prior approval. 4'0"x2'3" -1 Nos., 6' x 4' -1, 6'x8'-1			
12	MANAGER'S OR OFFICERS TABLE : Managers table made with 19mm commercial board of specified make. The external or visible surface of the table top front and sides has to be pasted with 1mm laminated sheet of beech wood colour the table shall be provided with two drawers cum cup board with locking arrangements all the edges of the table shall be provided with beech wood beading of 22mm x 6mm average in size, with melamine polish, and all the invisible surface and under side of the table as to be painted with one coat of wood primer and two coats of enamel paint. The necessary hardware fitting with good quality such as hinges, handles and drawer sliding channel to be neatly fixed for drawers. The size and the design should be as per the specifications and drawing Size: 6'x3.0"x2'.6" (with key board & tray for CPU unit)	1 Nos.		
13.	OFFICERS TABLE : table made with 19mm commercial board of specified make. The external or visible surface of the table top front and sides has to be pasted with 1mm laminated sheet of beech wood colour the table shall be provided with one drawers cum cup board with locking arrangements all the edges of the table shall be provided with beech wood beading of 22mm x 6mm average in size, with melamine polish, and all the invisible surface and under side of the table as to be painted with one coat of wood primer and two coats of enamel paint. The necessary hardware fitting with good quality such as hinges, handles and drawer sliding channel to be neatly fixed for drawers. The size and the design should be as per the specifications and drawing Size: 5' x 2'.6"x2'.6" (with key board & tray for CPU unit)	1 Nos.		
			Total	

Note :

9. All Rates shall be inclusive of all Taxes Income/sales Tax etc.,
10. The Rates should also be inclusive of the cost of disposal of debris Generated out of the work site by transportation.
11. Tenders should Ascertain the scope of work and quality of the Item before starting the work and the materials used should be as per the list enclosed.
12. The tax deduction at source : Income tax and sales tax as applicable will be deducted at source out of the bill amount payable to the contractor.